4V Drive Nch MOSFET

RSF015N06FRA

Datasheet


AEC-Q101 Qualified

●Structure
Silicon N-channel MOSFET

●Features
1) Built-in G-S Protection Diode.
2) Small Surface Mount Package (TUMT3).
3) Low voltage drive. (4V)

●Application
Switching


●Dimensions (Unit : mm)



●Packaging specifications

Type	Package	Taping
	Code	TL
	Quantity (pcs)	3000
RSF015N06FRA		O

●Inner circuit



●Absolute maximum ratings (Ta = 25°C)

Parameter		Symbol	Limits	Unit
Drain-source voltage		V_{DSS}	60	V
Gate-source voltage		V_{GSS} *1	±20	V
Drain current	Continuous	I_D	±1.5	A
	Pulsed	I_{DP} *1	±6.0	A
Source current (Body Diode)	Continuous	I_S	0.6	A
	Pulsed	I_{SP} *1	6.0	A
Power dissipation		P_D *2	0.8	W
Channel temperature		Tch	150	°C
Range of storage temperature		Tstg	−55 to +150	°C

*1 Pw≤10μs, Duty cycle≤1%

*2 Mounted on a ceramic board.

●Thermal resistance

Parameter	Symbol	Limits	Unit
Channel to Ambient	Rth (ch-a)*	156	°C / W

*Mounted on a ceramic board.

© 2015 ROHM Co., Ltd. All rights reserved.

●**Electrical characteristics** (Ta = 25°C)

Parameter	Symbol	Min.	Typ.	Max.	Unit	Conditions
Gate-source leakage	I_{GSS}	-	-	±10	μA	V_{GS}=±20V, V_{DS}=0V
Drain-source breakdown voltage	$V_{(BR)DSS}$	60	-	-	V	I_D=1mA, V_{GS}=0V
Zero gate voltage drain current	I_{DSS}	-	-	1	μA	V_{DS}=60V, V_{GS}=0V
Gate threshold voltage	$V_{GS\ (th)}$	1.0	-	2.5	V	V_{DS}=10V, I_D=1mA
Static drain-source on-state resistance	$R_{DS\ (on)}$ *	-	210	290	mΩ	I_D=1.5A, V_{GS}=10V
		-	240	330		I_D=1.5A, V_{GS}=4.5V
		-	255	350		I_D=1.5A, V_{GS}=4.0V
Forward transfer admittance	$\|Y_{fs}\|$*	1.0	-	-	S	I_D=1.5A, V_{DS}=10V
Input capacitance	C_{iss}	-	110	-	pF	V_{DS}=10V
Output capacitance	C_{oss}	-	28	-	pF	V_{GS}=0V
Reverse transfer capacitance	C_{rss}	-	12	-	pF	f=1MHz
Turn-on delay time	$t_{d(on)}$*	-	6	-	ns	I_D=0.7A, V_{DD}≒30V
Rise time	t_r *	-	9	-	ns	V_{GS}=10V
Turn-off delay time	$t_{d(off)}$*	-	15	-	ns	R_L=42.8Ω
Fall time	t_f *	-	10	-	ns	R_G=10Ω
Total gate charge	Q_g *	-	2.0	-	nC	I_D=1.5A
Gate-source charge	Q_{gs} *	-	0.8	-	nC	V_{DD}≒30V
Gate-drain charge	Q_{gd} *	-	0.5	-	nC	V_{GS}=5V

*Pulsed

●**Body diode characteristics** (Source-Drain) (Ta = 25°C)

Parameter	Symbol	Min.	Typ.	Max.	Unit	Conditions
Forward Voltage	V_{SD}*	-	-	1.2	V	I_s=1.5A, V_{GS}=0V

*Pulsed

© 2015 ROHM Co., Ltd. All rights reserved.

●Electrical characteristic curves (Ta=25°C)

Fig.1 Typical Output Characteristics(Ⅰ)




Fig.2 Typical Output Characteristics(Ⅱ)




Fig.3 Typical Transfer Characteristics




Fig.4 Static Drain-Source On-State Resistance vs. Drain Current(Ⅰ)




Fig.5 Static Drain-Source On-State Resistance vs. Drain Current(Ⅱ)





Fig.6 Static Drain-Source On-State Resistance vs. Drain Current(Ⅲ)



© 2015 ROHM Co., Ltd. All rights reserved.

Fig.7 Static Drain-Source On-State Resistance vs. Drain Current(Ⅳ)




Fig.8 Forward Transfer Admittance vs. Drain Current




Fig.9 Source Current vs. Sourse-Drain Voltage




Fig.10 Static Drain-Source On-State Resistance vs. Gate Source Voltage




Fig.11 Switching Characteristics






Fig.12 Dynamic Input Characteristics



© 2015 ROHM Co., Ltd. All rights reserved.

Fig.13 Typical Capacitance vs. Drain-Source Voltage



© 2015 ROHM Co., Ltd. All rights reserved.

●Measurement circuits




Fig.1-1 Switching Time Measurement Circuit




Fig.1-2 Switching Waveforms




Fig.2-1 Gate Charge Measurement Circuit




Fig.2-2 Gate Charge Waveform

© 2015 ROHM Co., Ltd. All rights reserved.

ENTEGRECİ

Bu belge www.entegreci.com üzerinden sunulmaktadır.

Elektronik komponent tedarikinde Entegreci

Entegreci, Eskişehir merkezli, Türkiye geneline satış yapan bir elektronik komponent mağazasıdır. Entegreler (IC), mikrodenetleyiciler, transistörler, diyotlar, pasif elemanlar, konnektörler, modüller ve geliştirme kartları tek adetten seri üretim adetlerine kadar satılır. Ürün sayfalarında güncel stok durumunu, fiyatı ve datasheet bağlantısını bulabilirsiniz.

Parça koduyla arama

Üretici parça numarasını yazın; stok ve fiyatı hemen görün.

www.entegreci.com

Ürün kategorileri

Entegreden kapasitöre tüm elektronik komponent kategorileri.

Kategorilere göz atın

Üreticiler

Aradığınız üreticinin ürünlerini tek sayfada inceleyin.

Üreticileri görün

Toplu alım ve teklif

Listede olmayan ya da yüksek adetli parçalar için teklif isteyin.

Teklif isteyin

www.entegreci.com | **destek@entegreci.com** | **0850 305 90 34**

Entegreci is an online electronic components store based in Türkiye. Search by manufacturer part number to see stock, prices and datasheets for integrated circuits, microcontrollers, transistors, passive components and connectors, or request a quote for parts that are not listed.

Bu sayfa Entegreci tarafından eklenmiştir. Belgenin önceki sayfaları asıl yayıncısına aittir ve içeriği değiştirilmemiştir; en güncel sürüm için belgenin yayıncısına başvurun.